

BESSINE**PURPOSE**

Compute the exponentially scaled modified Bessel function of order v where v is a non-negative real number.

DESCRIPTION

This function is defined to be:

$$\text{BESSINE}(x) = e^{-x} I_v(x) \quad (\text{EQ Aux-33})$$

where $I_v(x)$ is the modified Bessel function of order v . See the documentation for the BESSIN command for a description of this function.

SYNTAX

LET <y2> = BESSINE(<y1>,<v>) <SUBSET/EXCEPT/FOR qualification>
 where <y1> is a non-negative number, variable or parameter;
 <y2> is a variable or a parameter (depending on what <y1> is) where the computed Bessel value is stored;
 <v> is a non-negative number, variable, or parameter that specifies the order of the Bessel function;
 and where the <SUBSET/EXCEPT/FOR qualification> is optional.

EXAMPLES

```
LET X2 = BESSINE(2,2)
LET Y = BESSINE(X,3)
```

NOTE

DATAPLOT uses the routine BESIE from the SLATEC Common Mathematical Library to compute this function. SLATEC is a large set of high quality, portable, public domain Fortran routines for various mathematical capabilities maintained by seven federal laboratories.

DEFAULT

None

SYNONYMS

None

RELATED COMMANDS

BESSI0	=	Compute the modified Bessel function of order 0.
BESSI1	=	Compute the modified Bessel function of order 1.
BESSIN	=	Compute the modified Bessel function of order N.
BESSJN	=	Compute the Bessel function of the first kind and order N.
BESSIN	=	Compute the modified Bessel function of order N.
BESSKN	=	Compute the modified Bessel function of the third kind and order N.

REFERENCE

"Handbook of Mathematical Functions, Applied Mathematics Series, Vol. 55," Abramowitz and Stegun, National Bureau of Standards, 1964 (pages 355-433).

"Numerical Recipes: The Art of Scientific Computing (FORTRAN Version)," 2nd Edition, Press, Flannery, Teukolsky, and Vetterling. Cambridge University Press, 1992 (chapter 6).

APPLICATIONS

Special Functions

IMPLEMENTATION DATE

94/9

PROGRAM

```
TITLE MODIFIED BESSEL FUNCTIONS
LINE SOLID DASH DOT DA2
PLOT BESSINE(X,2) FOR X = 0 0.01 5 AND
PLOT BESSINE(X,2.5) FOR X = 0 0.01 5 AND
PLOT BESSINE(X,3) FOR X = 0 0.01 5 AND
PLOT BESSINE(X,4) FOR X = 0 0.01 5
```

